

776
8-8

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Date/Time: July 27, 2000/ 9:30 am

Site Contact(s): Carolyn Hicks, B776
Phone: 966-5773

Regulatory Contact: James Hindman
Phone: 692-3345

Agency: CDPHE

Purpose of Contact: Request permission to temporarily store bottled liquid hazardous waste in Glovebox J-176, which is part of RCRA Unit 776.3.

Discussion

Four 4-liter bottles of liquid hazardous waste, which are covered by the Site Treatment Plan consent order, require sampling for radiological and RCRA characterization. Building 776 personnel would like to conduct sampling in glovebox J-176 (the "barrel dump" glovebox on the Advanced Size Reduction Facility (ASRF)) and leave the bottles in the glovebox until analytical results are obtained. GB J-176 is part of RCRA Unit 776.3, which is permitted for treatment. This glovebox is also shown on the drawing for RCRA container storage Unit 776.1, but it is not shown for bottle storage as the other two ASRF gloveboxes are.

The four bottles carry EPA waste code F001, which is authorized in both Unit 776.1 and Unit 776.3. Even though this glovebox is permitted for treatment rather than storage, James granted permission to temporarily store these bottles until analytical results are evaluated and the bottles can be packed into a container, with the understanding that no other activities are conducted in the glovebox until the bottles are removed.

Contact Record Prepared By: Carolyn Hicks

Distribution:

D. Grosek, RFFO

R. DiSalvo, RFFO

Contact Record 4/10/00
Rev. 7/13/00

DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE
CEX-105-01

Page 1 of 2

ADMIN RECORD

B776-A-000123

1
2

S. MacLeod, RFFO
G. Schuetz, RFFO
E. Kray, CDPHE
J. Hindman, CDPHE
C. Burbach, CDPHE
F. Phillips, K-H
K. North, K-H
W. Wierzbicki, K-H
T. Hopkins, 776
P. Arnold, 371
C. Gilbreath, 771
K. Lavorato, 707
S. Nesta, RISS
J. Berardini, MS
A. Rosenman, K-H
J. Dischinger, RFCSS
M. Heser, K-H
C. Madore, K-H
W. Sproles, B776
M. Crocker, B776
S. Dahlgren, B776
M. Ferri, B776
G. Uetrecht, B776
M. Burmeister, STP Program



2/2